	Application No.	Applicant(s)
Notice of Allowability	Application 110.	Applicanics
	10/795,853	ENGEL, REINHARD
	Examiner	Art Unit
	Erin D. Chiem	2883
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to 9/12/06.		
2. The allowed claim(s) is/are 1-9,11 and 12.		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☑ All b) ☐ Some* c) ☐ None of the:  1. ☑ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 <b></b>	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. 🗵 Information Disclosure Statements (PTO/SB/08),	7. Examiner's Amendo	nent/Comment
Paper No./Mail Date 3 18 0억 、 しんこじょ 4. □ Examiner's Comment Regarding Requirement for Deposit	8. 🔀 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material		
	9.	

Application/Control Number: 10/795,853

Art Unit: 2883

## Allowance

The following is an examiner's statement of reasons for allowance:

The prior art made of record fails to explicitly disclose a process for manufacture an optical transmission element comprising the process steps of applying a filling compound, in a liquid state, intermittently to the optical waveguide wherein the optical waveguide is fed into an extruder to form a slow element around the waveguide; thereby forming a plurality of dry, compressible elements that are disposed about the optical waveguide.

Rowland's reference discloses applying the filling compound in the liquid state and after the curing process the liquid filler becomes dry and compressible elements around the waveguide. However, Rowland's cable is formed by a loose tube process and not through an extruder.

Polle discloses extruding the optical cable with filler compound, however, the filler compound is not applied as a liquid state and cured to become dry and compressible filler. Furthermore, Polle's filling process is partially filling the interstices of the cable rather than intermittently filling the interstices along the longitudinal direction of the cable.

Examiner finds substantial differences in the two prior arts and finds no motivation to combine the two manufacturing processes that would result in applicant's claimed invention.

Through a search update, examiner found the art of Kundis et al. (WO 2005025842 A2) to teach the same subject matter as the instant application. However, Kundis's reference does not precede the instant application's priority date.

Page 2

Application/Control Number: 10/795,853

Art Unit: 2883

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erin D. Chiem whose telephone number is (571) 272-3102. The examiner can normally be reached on Monday - Thursday 9AM - 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Erin D Chiem Examiner Art Unit 2883 Frank G. Font Supervisory Primary Examiner Technology Center 2800

Frank I Fort

Page 3